

Township N° III South of the Base Line, Range N° XIII West of the Meridian.

Surveyed by W^r Hector & D Sullivan 1862.

Total 18,960.81

Description of the quality of the Land on the Interior Sectional Lines

quality	Section	quality	Section	quality	Section
22. Good, rich; timber Hickory, Gum, Elm & Spruce	7. 15.	Good bottom; timber Ash, Elm, Walnut &	28. 23.	Flat, strong soil; timber Ash, Gum, Hickory, Oak	
21. Good low, wet; timber Elm, Gum, Maple	15. 16.	Similar	25. 29.	Flat & rich; timber Maple, Elm, Ash &	
20. Mostly level & rate; timber Oak, Hickory, Maple	9. 18.	Similar	21. 22.	Flat; timber Ash, Elm, Maple, Spruce &	
19. Good, wet & rate; timber Oak, Elm, Maple, Ash	7. 3.	Good bottom; timber Ash, Elm & Spruce	19. 32.	Flat, and rich; timber Elm, Maple, Ash &	
18. Mostly level wet; timber Elm, Gum & buck briars	4. 5.	Similar	29. 30.	First rate bottom; timber Gum, Hackberry, Walnut & Spruce	
17. Good 2 nd rate; timber Maple, Elm, Gum, Ash	6. 7.	Rich; timber Walnut, Elm, Ash & Spruce	28. 31.	Flat; timber Ash, Elm, Maple & briars &	
16. Similar	3. 10.		28. 29.		
15. Good, wet & rate; timber Elm, Maple, Gum & Spruce & briars	5. 6.	Good bottom; timber Ash, Elm & Spruce	21. 28.		
14. Good second rate; timber Gum, Elm, Maple	8. 9.	Similar	22. 27.		
13. Similar	5. 8.	Similar	23. 28.		
12. Rich bottom; timber Ash, Hoopwood & Canoe Spruce	20. 26.	part barrens & part flat & wet	24. 25.		
11. Mostly rich bottom; timber Hickory, Elm, Hoopwood &	25. 26.	Flat 3 rd rate; timber Oak, Hickory, Maple, Elm	25. 24.		
10. Similar	24. 28.	Flat and wet; timber Gum, Maple, Ash, Spruce &	27. 23.		
9. Low bottom; timber Ash, Elm & Canoe Spruce	26. 32.	Similar	18. 21.	Hilly; timber Poplar	
8. Rich; timber Ash, Elm, Sugar	25. 26.	Similar	19. 20.		
7. Bottom; timber Ash, Elm	26. 27.	Similar			
6. Good bottom; timber Ash, Elm, Walnut & Spruce, Canoe	27. 24.	Good 3 rd rate; timber Ash, Elm, Oak, Hickory &			
5. Similar	27. 25.	Flat & covered with water; timber Ash, Elm, Hickory &			
4. Bottom; timber Ash, Walnut	27. 25.	Good 2 nd rate; timber Oak, Hickory, Ash, Gum & Spruce, briars			
3. Good bottom; timber Hoopwood, Walnut & Canoe	27. 27.	Similar			

Township 24 South of the Base Line Range 14 West.


Interior Sectional Corners Described Quarter-Section Corners Continued

Post	Bearing	Dist.	Course	Angle	Quality	Sectional	Bearing	Dist.	Course	Angle	Sectional	Bearing	Dist.	Course	Angle
A					From A to B										
a															
B	By Eldon	10	S	40		B to C									
b	By Eldon	10	S	40											
D	H. Oak	14	S	15		C to D									
c	H. Oak	14	S	15											
C	Hoop Oak	14	S	51		D to E									
d	By Eldon	14	S	51											
E					E to F										
e															
F	Gum	10	S	45		F to G									
f	Oak	10	S	45											
G	Maple	10	S	45		G to H									
g	Oak	10	S	45											
H	Maple	10	S	45		H to I. Ground with water; timber									
h	Maple	10	S	45		See Oak, Elm, Maple &c									
I	Hackberry	12	S	57		I to K. Similar									
i	Hackberry	12	S	57											
K	Maple	10	S	45		K to L. Similar									
k	Maple	10	S	45											
L	H. Oak	15	S	77		L to M. Double barrens. F. rate									
l	H. Oak	15	S	77											
M	H. Oak	15	S	77		M to N. Small barrens. timber									
m	H. Oak	15	S	77		scrubby Oak, Hickory &c rate.									
N	H. Oak	15	S	77		N to O. Small, rich, timber. Elm									
n	H. Oak	15	S	77		Oak, Oak									
O	H. Oak	15	S	77		O to P. Similar									
o	H. Oak	15	S	77											
P	H. Oak	15	S	77		P to Q. Similar									
q	H. Oak	15	S	77		Q to R. Small, good; timber. Oak, Elm									
r	H. Oak	15	S	77		Hickory									
S	H. Oak	15	S	77		R to S. Similar									
s	H. Oak	15	S	77											
T	H. Oak	15	S	77		S to T. Rich level. Oak, Elm &c									
t	H. Oak	15	S	77		Hickory									
U	H. Oak	15	S	77		T to U									
u	H. Oak	15	S	77											
V	H. Oak	15	S	77		U to V. Bottom									
v	H. Oak	15	S	77											
W	H. Oak	15	S	77		V to W									
w	H. Oak	15	S	77											
X	H. Oak	15	S	77		W to X. Past barrens. Bottom									
x	H. Oak	15	S	77											
Y	H. Oak	15	S	77											
y	H. Oak	15	S	77											
Z	H. Oak	15	S	77											

Quarter Section Corners Described

From and to	Bearing	Dist.	Course	Angle	Sectional	Bearing	Dist.	Course	Angle
M to U at	H. Oak	10	S	40		H. Oak	10	S	40
	Swamp Gum	10	S	40		Swamp Gum	10	S	40
	H. Oak	10	S	40		H. Oak	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10	S	40
	Elm	10	S	40		Elm	10		

Township N. 3 S, Range N. 13 W, 2nd Mer.




The above Subdivisions are truly copied from
the Records in this Office.

Sur. Gen's Office.
Gm. to Sept. 25th 1835

Wm. J. Lytle Sur. Gen.

Geo. W. D. S.

Township N. 3. S. Range N. 13 W. 2nd Mer.




Comp.

The foregoing subdivisions of fractional sections are truly
 Copied from the Original plat in this Office.
 Surveyor General's Office } M. T. Williams
 Cincinnati April 24. 1834 } Sur. Gen.

Recd June 2 1834


Recd. with S. Gen. of 5 May 1845



There is no pond on the line between Sec. 29 & 30 as represented on the Original Map.

Post	Bearing	inch	Course	dist
1.	Ash	20	S10 E	30
	Chin	20	N48 E	42
2.	Sum	10	S16 E	42
	Hickory	12	N14 E	35
3.	W. Oak	6	S50 E	5
	R. Oak	10	S68 N	45
4.	Birch	20	North	18
	Sycamore	18	S63 E	35
	Sum	24	N84 N	28
	Do.	30	N25 E	56
	Sum	10	N36 N	23
	Do.	10	S60 E	7
	Sum	20	N37 N	43
	W. Walnut	14	S20 E	34

Cor. of Sec. 15, 16, 21, 22
 " " 21, 22, 27, 28
 gr. Sec. Cor. between 16 & 21



Meanders of Fool's Grave Pond					
Post	Courses	Ch ^s Lk ^s	Post	Courses	Ch ^s Lk ^s
1.	S22 N	7.10			
	S13 E	6.50			
	S25 E	6.00			
	S16 E	8.60			
	S30 E	8.50			
	S33 E	8.63			
		39.63			
3.	S39 E	5.00			
	S23 E	6.00			
	S18 E	6.00			
	S2 E	15.00			
	S3 N	6.00			
	S9 E	7.50			
	N30 N	7.00			
	N10 N	19.95			
		72.45			
4.	N27 N	26.50			
	N2 N	9.50			
	N26 N	14.50			
	N5 N	6.50			
2.	N11 E	3.84			
		62.84			
		172.12			

INDIANA.
 6 & W 2 P. M.

Total number of Acres

Survey Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys. M. Ch ^s Lk ^s	When Surveyed.	When Charged in the Sur ^y Gen ^l 's acc ^t
Township lines.					
Subdivisions.	N. L. Speer				


The above Map of Township N^o 3 South of Range N^o 13 W. 2nd Mer. Indiana is strictly conformable to the field notes of the survey, which have been examined and approved.

Surveyor General's Office, William Johnston, Sur^y Gen^l
 Cincinnati, May 2, 1845

67

S & W 2 P. M. IND

T. 3 S. of the base line R. 13 W. of the 2nd pr. Mer.



Scale of 40 chains to an inch

Surveyor's Office
St. Louis, the 10th of July 1852

The above Plot of fractional Sections 5, 6, 7, 8 & 18 all on the right bank of
Wabash river in Township 3 South of the base line Range 13 West of the
2nd principal Meridian, subdivided under the Act of Congress of the 2nd of April
1820 is correctly copied from the Plot of said Township on file in this
Office.

Silas Reeds

Surveyor of the public lands in
the States of Illinois & Missouri.

In this noted in trunk book
July 29. '52

To the Commissioner
of the General Land Office
at
Washington City.


INDIANA.
S & W 2 P. M.
IND

94

T. 3 S. R 13, W.

2nd P. M. Indiana

T. 3 S. R 13 W of the 2nd pr. Mer. Recd with Sur Genl's letter
November 2nd 1859



Scale of 40 chains to an inch

Note. There are no field notes of the meanders of the right bank of Wabash river along the
East half of fract. section 7; nor is it stated in the notes the length of the line between sections
7 & 18 in the bend of the river. The area of the East of fract. section 7 is obtained by de-
ducting from the area of the whole section (494.84 acres) given on the original plat in the
office, the aggregate area of the several lots in the West half of the section.

Office of the Surveyor General
for Illinois and Missouri.
Saint Louis November 2nd 1859.

The above plot of fractional section 7; in the bend of Wabash river; in Township 3
South of the base line Range 13 West of the 2nd principal Meridian, and the above note
are correctly copied from the plot of said Township on file in this office.

Jno Longbrong
Surveyor General

Cop. sent to Register at
Springfield Mo. Nov. 2nd 1859.

INDIANA.
S & W 2 P. M.

